

TABLE OF CONTENTS

Volume 3 Number 2

June 2013

Efficacy of Uterine Artery Embolization for Patients with Postpartum Hemorrhage Y. H. Choi, Y. Baba, S. Ikeda, Y. H. So, S. Hayashi, M. Nakajo.....	51
A GATE Simulation Study of the Siemens Biograph DUO PET/CT System D. Nikolopoulos, S. Kottou, N. Chatzisavvas, X. Argyriou, E. Vlamakis, P. Yannakopoulos, A. Louizi.....	56
Evaluation of the Optimal Image Reconstruction Interval for Noninvasive Coronary 64-Slice Computed Tomography Venography Y. Ohta, S. Fujii, S. Kakite, E. Mizuta, M. Hashimoto, T. Kaminou, T. Ogawa.....	66
Improvements to a Novel Device Simulating Pneumatic Intussusception Reduction S. K. Soosman, J. C. Li, G. E. Roper, A. S. Wexler, R. Stein-Wexler, T. R. Sanchez.....	73
Avoiding Unnecessary Pulmonary CT Angiography by Using a Combination of Clinical Criteria and D-Dimer Thresholds L. H. Gimber, J. Leong, L. Todoki, H.-C. Yoon.....	78
Fracture Rate and Serious Complications of Vena Cava Filters M. M. Mitsunaga, H.-C. Yoon.....	85
Intra and Inter-Observer Reliability of Mobile Tablet PACS Viewer System vs. Standard PACS Viewing Station-Diagnosis of Acute Central Nervous System Events A. Bhatia, S. Patel, G. Pantol, Y. Wu, M. Plitnikas, C. Hancock.....	91
Renal Osteodystrophy in Mullerian, Renal, Cervicothoracic Somite Abnormalities (MURCS Association): A Logical, However Hitherto Unknown Entity K. Taori, J. Rathod, R. Parate, A. Disawal, S. Dhakate, A. Hatgaonkar, A. Guha.....	99

The figure on the front cover is from the article published in Open Journal of Radiology, 2013, Vol. 3, No. 2, pp. 56-65 by D. Nikolopoulos, S. Kottou, N. Chatzisavvas, X. Argyriou, E. Vlamakis, P. Yannakopoulos, A. Louizi.